

# OMC-CW series



## CURTAIN WRAPPING

WITHOUT COMPROMISE

# Our specific model for standard shaped wooden stacks



## Size variations



- Standard sizes OMC-CW12
- Wood stacks: Width: 400-1200mm, Height 500-1200mm, Length 2000-6000mm



## Performance:

- Up to 80 stack/hour



## Features (always standard):

- Siemens totally integrated controlling system
- Film cutting and seaming device
- Integrated base, logo and top sheet
- Carriage with easy film change
- Heavy duty steel construction



## Material properties

- Thickness: 30-120 microns
- Width: 500-1000mm, Diameter: 500mm, Inner core: 76mm

## The Specialist in Wood Piles




### Ideal if:

You package lumber or wood piles in consistent dimensions, with high throughput and your own logo on the packaging.




Logo brand for marketing purposes



# OMC-CW series



Topsheet  
(2rolls/unit)  
1-4 units



Base films  
1-4 units




In case of several film units:  
Non active film unitis driven  
above the incomingStack  
when not in use



Logo film  
1-4 units



- Weather proof solution
- 5 side closing
- All stacks with customer logo



Scan QR-Code for  
more information



<https://www.octomeca.fi/products/omc-cw-series/>



# We are always close to you

Our global service network

## Lifecycle Care

### The extra care for your FROMM & Octomeca products

The Lifecycle Care program for your FROMM & Octomeca product offers self-configurable service modules customized to your own needs.

It starts with a full joint assessment and planning phase, followed by the selection of fixed, variable or individual service intervals and levels – optionally combined with spare parts deliveries and interim software updates.



AI-optimized

Premium class Load  
securing from the North



Further information:  
[www.fromm-pack.com](http://www.fromm-pack.com)  
[www.octomeca.fi](http://www.octomeca.fi)

Distributor

Subject to changes  
art. nr. 28.0057.EN