



SILMATM
OCTOMECA BY FROMM



Suitable
for steel or
aluminum
coils

WELCOME TO THE NEW ERA OF
COIL WRAPPING

The new solution for through the eye wrapping



Size variations



- Inner core: 508–610 mm
- Outside diameter: 800–2200 mm

Silma X1

Coil width: 600–1550 mm

Silma X2

Coil width: 600–2300 mm

Specific model for steel and aluminum coils



Performance:

- Up to 40 coils/hour



Technical specifications

- Siemens totally integrated controlling system
- Film cutting device
- Carriage with easy film change
- Heavy duty steel construction



Material properties



- Thickness: 30-120 microns
- Mechanical pre-stretch ratio 20–40 %
- Width: 250mm, Diameter: 250mm
Core: 76mm – easy to store & transport



Footprint efficient

**The Expert for
Steel and
Aluminum Coils**

Ideal if:
You package metal coils and
are looking for a standard
model that fits your
coil width.






Robust
construction

Scan QR-Code and
watch Silma™ in action



[https://www.youtube.com/
watch?v=0kNk3Tma3Zk](https://www.youtube.com/watch?v=0kNk3Tma3Zk)



We are always close to you

Our global service network

Lifecycle Care

The extra care for your FROMM & Octomeca products

The Lifecycle Care program for your FROMM & Octomeca product offers self-configurable service modules customized to your own needs.

It starts with a full joint assessment and planning phase, followed by the selection of fixed, variable or individual service intervals and levels – optionally combined with spare parts deliveries and interim software updates.



Premium class Load
securing from the North



Further information:
www.fromm-pack.com
www.octomeca.fi

Distributor

AI-optimized

Subject to changes
art. nr. 28.0059|EN